



Antennaria neglecta (Field pussytoes)

Antennaria neglecta - *Field pussytoes* *A. neglecta* is a mat-forming, woolly, stoloniferous, semi-evergreen perennial with rosettes of ovate to narrowly elliptic, grey-green leaves and corymbs of fluffy, white flower heads from mid-spring to early summer.

Season of interest

Spring

Summer

Autumn

Winter



Soil drainage

Sunlight



Max height

0 ft

Max spread

0 ft



Antennaria plantaginifolia (Dog's toes)

Antennaria plantaginifolia - Dog's toes *A. plantaginifolia* is a mat-forming, evergreen perennial with erect stems bearing ovate to elliptic, grey-green leaves and clusters of small, softly hairy, pink-flushed, white flower heads from late spring into summer.

Season of interest

Spring

Summer

Autumn

Winter



Soil drainage

Sunlight



Max height

0 ft

Max spread

1 ft

Field of Dreams Rocky Outcrop...

Provided by : Studio Hopeland



Asclepias tuberosa (Butterfly flower)

Asclepias tuberosa - *Butterfly flower* *A. tuberosa* is an upright herbaceous perennial with lance-shaped mid green leaves and bright orange flowers in summer and autumn.


Season of interest

Spring

Summer

Autumn

Winter



Soil drainage



Sunlight



Max height

2 ft

Max spread

0 ft

Field of Dreams Rocky Outcrop...


Provided by : Studio Hopeland



Cercis canadensis (Eastern redbud)

Cercis canadensis - Eastern redbud C. canadensis is a spreading, upright, branching tree with bronze new growth, green leaves in summer, and yellow autumn colour. In spring it has clusters of crimson pink flowers that bloom before the leaves appear.


Season of interest



Soil drainage



Sunlight



Max height

32 ft

Max spread

32 ft


Provided by : Studio Hopeland



Comptonia peregrina (Sweetfern)

Comptonia peregrina - Sweetfern *C. peregrina* is an upright, deciduous shrub with pinnate, linear to lance-shaped, dark or olive green leaves divided into semi-circular leaflets and brown-flushed, yellow-green flower catkins in spring followed by burr-like, bright green fruit ripening brown.


Season of interest



Soil drainage



Sunlight



Max height
4 ft

Max spread
8 ft

Field of Dreams Rocky Outcrop...

Provided by : Studio Hopeland



Ionactis linariifolia (Stiff aster)

Ionactis linariifolia - *Stiff aster* I. *linariifolia* is a compact, clump-forming, deciduous perennial with small, stiff, linear, mid- to dark green leaves and daisy-like, white, violet, or blue flower heads from midsummer into autumn.

Season of interest

Spring

Summer

Autumn


Winter



Soil drainage



Sunlight



Max height

2 ft

Max spread

1 ft


Provided by : Studio Hopeland



Lonicera sempervirens (Trumpet honeysuckle)

Lonicera sempervirens - *Trumpet honeysuckle* L. sempervirens is an ornamental, twining climber with long, paired, semi-evergreen leaves and clusters of red, tubular, trumpet-shaped flowers in summer followed by bright-red berries in autumn.


Season of interest



Soil drainage



Sunlight



Max height

13 ft

Max spread

3 ft

Field of Dreams Rocky Outcrop...

Provided by : Studio Hopeland



Monarda punctata (Spotted beebalm)

Monarda punctata - *Spotted beebalm* *M. punctata* is a clump-forming, deciduous perennial with aromatic, oblong, toothed, mid- to dark green leaves and, in summer, two-lipped, purple-spotted, yellow flowers above a whorl of pink, leafy bracts.

Season of interest

Spring

Summer

Autumn

Winter



Soil drainage



Sunlight



Max height

1 ft

Max spread

0 ft


Provided by : Studio Hopeland



Opuntia humifusa (Eastern prickly pear)

Opuntia humifusa - *Eastern prickly pear* *O. humifusa* is a clump-forming, semi-prostrate, perennial cactus forming stems divided into flattened elliptic, ovate, or rounded, spiny, grey-green segments with narrowly wedge-shaped leaves. Broadly funnel-shaped, bright yellow flowers from late spring into summer are followed by ovoid, spineless, edible, red or purple fruit.

Season of interest



Soil drainage



Sunlight



Max height
0 ft

Max spread
3 ft

Provided by : Studio Hopeland



Penstemon hirsutus (Hairy penstemon)

Penstemon hirsutus - Hairy penstemon P. hirsutus is a hairy, evergreen subshrub forming a spreading clump of lance-shaped, toothed, dark green leaves and erect stems bearing loose racemes of tubular to funnel-shaped, white-tipped, lavender to pale pink flowers from late spring into summer.



Season of interest

Spring

Summer

Autumn

Winter



Soil drainage



Sunlight



Max height

2 ft

Max spread

3 ft

Field of Dreams Rocky Outcrop...

Provided by : Studio Hopeland



Schizachyrium scoparium (Little bluestem)

Schizachyrium scoparium - *Little bluestem* *S. scoparium* is a densely tufted, slowly spreading, clump-forming, deciduous perennial grass with erect stems bearing linear, mid- to blue-green leaves turning bronze-orange in autumn and, from late summer into autumn, narrow racemes of purple-bronze flower spikelets followed by fluffy, silvery-white seed heads.



Season of interest

Spring


Summer

Autumn

Winter



Soil drainage



Sunlight



Max height

3 ft

Max spread


1 ft



Solidago nemoralis (Gray goldenrod)

Solidago nemoralis - Gray goldenrod *S. nemoralis* is a compact, upright, clump-forming, deciduous perennial with downy stems bearing narrowly lance-shaped, grey-green leaves and slightly arching, one-sided panicles of bright yellow flowers from late summer into autumn.

Season of interest



Soil drainage



Sunlight



Max height

1 ft

Max spread

1 ft



Solidago odora (Sweet goldenrod)

Solidago odora - Sweet goldenrod *S. odora* is an upright, clump-forming, deciduous perennial with smooth or downy stems bearing aromatic, lance-shaped, dark green leaves and panicles of tiny, golden-yellow flowers in late summer and early autumn.




Season of interest

Spring

Summer

Autumn

Winter



Soil drainage



Sunlight



Max height

3 ft

Max spread

1 ft



Symphyotrichum ericoides (Heath aster)

Symphyotrichum ericoides - *Heath aster* *S. ericoides* is an upright, bushy, clump-forming, deciduous perennial with slender, branching stems bearing small, linear to lance-shaped, mid-green leaves and, from late summer to late autumn, lax, conical clusters of small, long-lasting, daisy-like, white flowers with yellow centres.




Season of interest

Spring


Summer

Autumn

Winter



Soil drainage



Sunlight



Max height

3 ft

Max spread

1 ft

Field of Dreams Rocky Outcrop...

Provided by : Studio Hopeland



Viola pedata (Bird's foot violet)

Viola pedata - *Bird's foot violet* *V. pedata* is a compact, clump-forming, evergreen perennial with deeply-lobed, dark green leaves and, in late spring and early summer, short-spurred, usually pale violet flowers with widely spaced petals.

Season of interest

Spring

Summer

Autumn

Winter



Soil drainage



Sunlight



Max height

0 ft

Max spread

0 ft